

Outdoor LiFePO4 Portable Energy Storage Power Supply 600W 460Wh

UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1

safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE

, Portable Energy Storage Power Supply 600W,

460Wh lifepo4 power supply

Basic Information

- Place of Origin:
- XWELL • Brand Name:

China

- Certification:
- Model Number:
- Minimum Order Quantity: 1 pcs
- · Packaging Details: Carton
- Delivery Time:
- 7-10 working days • Payment Terms:
 - L/C, D/A, D/P, T/T, Western Union, MoneyGram

XW-600W-01

• Supply Ability: 5000 pcs per month

Product Specification

AC Output Power:	600W
Capacity:	460Wh
Cylcle Life:	More Than 1000
• Input:	DC5521 12-24V-5Am, PD 100W
AC Output:	AC220V/50Hz
USB Output:	2 * QC3.0 MAX 18 W 12V / 1.5A ; SCP Maximum Output Power: Maximum 22.5W
 Type-C Output: 	PD 100W Output
• Batteries:	LiFePO4 Battery / 3400mAh
 Charging Parameters: 	DC 12-24V / 5A
LCD Display:	Battery Percentage And Battery Column Display
 Highlight: 	LiFePO4 Portable Energy Storage Power Supply



More Images



600W 460Wh Multifunction Outdoor Portable Power Station Energy Storage Power Bank Supply

In case of power failure or you need to charge on a travel, you can temporarily charge your electrical or digital devices with this unit. This unit can provide USB, DC and AC output. You can keep laptops, appliances, lights and more going for hours longer. Before using this unit, please read the user manual carefully and properly keep it for reference.




Specification


Category	Project	Specifications
INTPUT	DC input	DC5521 12-24V-5A
	DC input	PD 100W
AC OUT 220V	AC output voltage	1 port, AC220V±5%
	AC output power	600W
	AC output over power protection	650W Approximately
	AC output waveform	pure sine wave
	AC output peak	1200W Peak maintenance time <50ms
	frequency	50Hz
USB output port	USB1 output	QC3.0 MAX 18 W 12V / 1.5A ; SCP maximum output power: maximum 22.5W
	USB2 output	QC3.0 MAX 18 W 12V / 1.5A ; SCP maximum output power: maximum 22.5W
	TYPE-C1 output	PD / QC3.0 MAX 30W 12V/2.5A
DC12V output	DC1 DC2 output	12V / 10A MAX
TYPE-C output/input	TYPE-C2	PD 100W output
	type	LiFePO4 battery / 3400mAh
Batteries	capacity	23.8Ah (6S7P)
	power	460Wh
	cycle life	1000+ times
Charging parameters		DC 12-24V / 5A
charging time	5 - 6H	Charge from 0% to 100% (automatic cut-off)
Full voltage	21.9V ±0.1V	The voltage when the battery is charged to the automatic cut-off
LCD display	Display power;charging, stop charging status	Battery percentage and battery column display
	DC, AC, inverter status	The display shows
boot static		<10W

Protective function		Short circuit, overload, over temperature, over voltage, over current, under voltage, etc.
over temperature protection	over temperature protection	≥85
	over temperature recovery	≤70


Front pannel



Product accessories



Usage time for common devices



- 1. Your inquiry related to our products price will be replied in 24 hours.
- 2. Experienced staffs to answer all your enquiries in fluent English
- 3. We make the OEM and ODM service for more than 5 years
- 4. Protection of your sales area, ideas of design and all your private information.
- 5. No matter big order or small order, we will provide all the best quality, best service.
- 6. If our products have any problem that we caused, they will be sent free in the next order.

GUANGDONG XWELL TECHNOLOGY CO., LTD.

XWELL is a professional manufacturer with factory, which produce all kinds of high quality lithium batteries as customers' requirements and designs.

Our products have already exported to many places all over the world.

This is a team which not only master advanced science and technology but also full of passion and energy.

We are trying best to provide you high quality products as well as the sincere services.

Looking forward to cooprating with you, and welcome to visit our factory.



Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China