



## All In One Lithium Battery Home Inverter Rechargeable 10kwh 20kwh

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: XWELL
- Certification: UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-3200W
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 pcs per month



#### Product Specification

- Wave Shape: Pure Sine Wave Form
- Working Life: 6000 Cycles
- Capacity Options: 100Ah 200Ah
- Pack Model: LiFePO4 Battery Cell Pack
- Rate Power: 3.2KW
- Rate Energy: 5.0Kwh
- Max Power: 5.0Kw
- Pack Voltage Output: 48V
- Charge Current: 50A
- Discharge Current: 100A
- Highlight: lithium battery home inverter 20kwh,  
lithium battery home inverter 10kwh,  
Rechargeable 10kwh lithium battery

## Product Description

### All In One Rechargeable Lithium Battery Pack And 10kwh 20kwh Inverter With Inbuilt Lithium Battery

#### Backup Protection

Power storage brick is a battery that stores energy, detects outages and automatically becomes your home's energy source when the grid goes down. Unlike gasoline generators, Power storage brick keeps your lights on and phones charged without upkeep, fuel or noise. Pair with solar and recharge with sunlight to keep your appliances running for days.


#### Power Everything

Power storage brick reduces your reliance on the grid by storing your solar energy for use when there is no sun. Use Power storage brick alone or combine it with other Brightway products to save money, reduce your carbon footprint and prepare your home for power outages.

#### Rechargeable Lithium Battery Pack Specification

Battery Parameters		
Model	51.2V100Ah	51.2V200Ah
Nominal voltage	51.2V	
Nominal capacity (kwh)	5KWh	10KWh
Cell type	LiFePO4	
Cycle life	>6000 Cycles(80%DOD)	
Charge temperature range	0~65°C	
Discharge temperature range	-20~65°C	
Maximum continuous charge current	50A	
Maximum continuous discharge current	100A	
Color	Black /White	
Dimension (mm)	710x300x600	710x300x800
Weight	81Kg	110Kg
Installation method	Floor type with wheels	
Inverter Parameters		
Rated power	3.2KW	
Peak power	5KW	
Output wave form	Pure sine wave	
Input/Output AC voltage	AC 110V/220V	
Input/Output AC voltage frequency	50Hz/60Hz	

#### Rechargeable Lithium Battery Pack Connection Diagram



#### Our service

1. 3 years warranty for solar lights and solar power generation system, 15 years warranty for solar panels.
2. Good packaging.
3. The main components are matched with 1% accessories.
4. In addition to customer service spare parts, customers need to take photos of damaged parts or confirm test data, and we will send damaged parts or brand new products to consumers. (Consumers who give up the opportunity to cooperate again need to bear the freight by themselves)
5. You are welcome to contact us 24 hours a day.

#### Company Information

We are a technological innovation company, mainly engaged in R&D and sales of lithium battery and battery pack technology, focusing on the R&D and manufacturing of new energy storage products. In the beginning of the company establishment in 2005, we occupied 40% market share in Guangdong Province with single-

chip programming charging solution, and won exclusive orders from Wal-Mart, after 16 years continuously development, now the company has industry-leading lithium battery PACK R&D experience and manufacturing equipment, and a professional technical team provides one-stop service of new energy battery products for domestic and foreign customers regarding the industry needs.



## **XWELL** GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985

sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China